Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in this application.

Listing of Claims:

- 1. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a <u>clay or clay-type</u> matrix material containing less than about 10,000 wppm iron and iron-containing species, based on the total weight of the matrix material; and
 - (c) optionally binder.
- 2. (Original) The composition of claim 1, wherein the matrix material contains less than about 7,000 wppm iron and iron-containing species, based on the total weight of the matrix material.
- 3. (Original) The composition of claim 2, wherein the matrix material contains less than about 4,000 wppm iron and iron-containing species, based on the total weight of the matrix material.
- 4. (Original) The composition of claim 1, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, diekite, nacrite, hectorite and laponite.
- 5. (Original) The composition of claim 1, wherein the catalyst composition has a d_{50} particle size from about 20 to about 200 microns.
- 6. (Original) The composition of claim 1, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.

- 7. (Original) The composition of claim 6, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 8. (Original) The composition of claim 1, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - (d) a slurrying medium.
- 9. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a <u>clay or clay-type</u> matrix material containing less than about 15,000 wppm titanium and titanium-containing species, based on the total weight of the matrix material; and
 - (c) optionally binder.
- 10. (Original) The composition of claim 9, wherein the matrix material contains less than about 10,000 wppm titanium and titanium-containing species, based on the total weight of the matrix material.
- 11. (Original) The composition of claim 10, wherein the matrix material contains less than about 5,000 wppm titanium and titanium-containing, based on the total weight of the matrix material.
- 12, (Original) The composition of claim 9, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, montmorillonite, saponite, hectorite and laponite.
- 13. (Original) The composition of claim 9, wherein the catalyst composition has a d₅₀ particle size from about 20 to about 200 microns.
- 14. (Original) The composition of claim 9, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18,

NOV-09-2005 WED 02:46 PM exxonmobil

SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.

- 15. (Original) The composition of claim 14, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 16. (Original) The composition of claim 9, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - (d) a slurrying medium.
- 17. (Currently Amended) A catalyst composition, comprising:
 - a molecular sieve; (a)
 - a clay or clay-type matrix material containing less than about 1,500 wppm (b) nickel and nickel-containing species, based on the total weight of the matrix material; and
 - (c) optionally binder.
- 18. (Original) The composition of claim 17, wherein the matrix material contains less than about 300 wppm nickel and nickel-containing species, based on the total weight of the matrix material.
- 19. (Original) The composition of claim 18, wherein the matrix material contains less than about 150 wppm nickel and nickel-containing species, based on the total weight of the matrix material.
- 20. (Original) The composition of claim 17, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, montmorillonite, hectorite, saponite and laponite

Appl. No. 10/657,057

- 21. (Original) The composition of claim 17, wherein the catalyst composition has a d₅₀ particle size from about 20 to about 200 microns.
- 22. (Original) The composition of claim 17, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 23. (Original) The composition of claim 22, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 24. (Original) The composition of claim 17, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - (d) a slurrying medium.
- 25. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - a clay or clay-type matrix material containing less than about 1,500 wppm (b) cobalt and cobalt-containing species, based on the total weight of the matrix material; and
 - optionally binder. (c)
- 26. (Original) The composition of claim 25, wherein the matrix material contains less than about 100 wppm cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 27. (Original) The composition of claim 26, wherein the matrix material contains less than about 5 wppm cobalt and cobalt-containing species, based on the total weight of the matrix material.

- 28. (Original) The composition of claim 25, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, montmorillonite, hectorite, saponite and laponite.
- 29. (Original) The composition of claim 25, wherein the catalyst composition has a d₅₀ particle size from about 20 to about 200 microns.
- 30. (Original) The composition of claim 25, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 31. (Original) The composition of claim 30, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 32. (Original) The composition of claim 25, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - a slurrying medium. (d)
- 33. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:
 - selecting a clay or clay-type matrix material containing less than 10,000 wppm of (a) iron and iron-containing species, based on the total weight of the matrix material;
 - forming a slurry containing the matrix material, a molecular sieve, a slurrying (b) medium, and optionally a binder; and
 - drying the slurry to produce the molecular sieve catalyst composition. (¢)
- 34. (Original) The process of claim 33, wherein the matrix material contains less than 7,000 wppm of iron and iron-containing species, based on the total weight of the matrix material.

- 35. (Original) The process of claim 34, wherein the matrix material contains less than 4,000 wppm of iron and iron-containing species, based on the total weight of the matrix material.
- 36. (Original) The process of claim 33, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 37. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:
 - selecting a clay or clay-type matrix material containing less than 15,000 wppm of **(4)** titanium and titanium-containing species, based on the total weight of the matrix material;
 - forming a slurry containing the matrix material, a molecular sieve, a slurrying medium, and optionally a binder; and
 - drying the slurry to produce the molecular sieve catalyst composition. (c)
- 38. (Original) The process of claim 37, wherein the matrix material contains less than 10,000 wppm of titanium and titanium-containing species, based on the total weight of the matrix material.
- 39. (Original) The process of claim 38, wherein the matrix material contains less than 5,000 wppm of titanium and titanium-containing species, based on the total weight of the matrix material.
- 40. (Original) The process of claim 37, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.

- 41. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:
 - selecting a clay or clay-type matrix material containing less than 1,500 wppm of (a) nickel and nickel-containing species, based on the total weight of the matrix material;
 - forming a slurry containing the matrix material, a molecular sieve, a slurrying (b) medium, and optionally a binder; and
 - drying the slurry to produce the molecular sieve catalyst composition. (c)
- 42. (Original) The process of claim 41, wherein the matrix material contains less than 300 wppm of nickel and nickel-containing species, based on the total weight of the matrix material.
- 43. (Original) The process of claim 42, wherein the matrix material contains less than 150 wppm of nickel and nickel-containing species, based on the total weight of the matrix material.
- 44. (Original) The process of claim 41, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 45. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:
 - selecting a clay or clay-type matrix material containing less than 1,500 wppm of (a) cobalt and cobalt-containing species, based on the total weight of the matrix material;
 - forming a slurry containing the matrix material, a molecular sieve, a slurrying medium, and optionally a binder; and
 - drying the slurry to produce the molecular sieve catalyst composition. (c)

- 46. (Original) The process of claim 45, wherein the matrix material contains less than 100 wppm of cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 47. (Original) The process of claim 46, wherein the matrix material contains less than 5 wppm of cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 48. (Original) The process of claim 45, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 49. (Withdrawn) A process for producing light olefins, the process comprising the steps îlo
 - providing an oxygenate in an oxygenate-containing feedstock; and (a)
 - contacting the oxygenate with a molecular sieve catalyst composition under (b) conditions effective to convert at least a portion of the oxygenate to light olefins and oxygenate byproducts in a reaction offluent, wherein the reaction effluent contains less than about 10 weight percent oxygenate byproducts, based on the total weight of the reaction effluent.
- 50. (Withdrawn) The process of claim 49, wherein the reaction effluent contains less than about 5 weight percent oxygenate byproducts, based on the total weight of the reaction effluent.
- 51. (Withdrawn) The process of claim 50, wherein the reaction effluent contains less than about 3 weight percent oxygenate byproducts, based on the total weight of the reaction effluent.

- 52. (Withdrawn) The process of claim 51, wherein the reaction effluent contains less than about 1 weight percent oxygenate byproducts, based on the total weight of the reaction effluent.
- 53. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 10,000 wppm of iron and iron-containing species, based on the total weight of the matrix material.
- 54. (Withdrawn) The process of claim 53, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 7,000 wppm of iron and iron-containing species, based on the total weight of the matrix material.
- 55. (Withdrawn) The process of claim 54, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 4,000 wppm of iron and iron-containing species, based on the total weight of the matrix material.
- 56. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 15,000 wppm of titanium and titanium-containing species, based on the total weight of the matrix material.
- 57. (Withdrawn) The process of claim 56, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 10,000 wppm of titanium and titanium-containing species, based on the total weight of the matrix material.
- 58. (Withdrawn) The process of claim 57, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 5,000

Appl. No. 10/657,057

Attorney Docket No.: 2003B093 Amdt. dated November 7, 2005 Reply to Office Action of Oct. 20, 2005

wppm of titanium and titanium-containing species, based on the total weight of the matrix material.

- 59. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 1,500 wppm of nickel and nickel-containing species, based on the total weight of the matrix material.
- 60. (Withdrawn) The process of claim 59, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 300 wppm of nickel and nickel-containing species, based on the total weight of the matrix material.
- 61. (Withdrawn) The process of claim 60, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 150 wppm of nickel and nickel-containing species, based on the total weight of the matrix material.
- 62. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 1,500 wppm of cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 63. (Withdrawn) The process of claim 62, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 100 wppm of cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 64. (Withdrawn) The process of claim 63, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 5 wppm of cobalt and cobalt-containing species, based on the total weight of the matrix material.

- 65. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 1,500 wppm of manganese and manganese-containing species, based on the total weight of the matrix material.
- 66. (Withdrawn) The process of claim 65, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 300 wppm of manganese and manganese-containing species, based on the total weight of the matrix material.
- 67. (Withdrawn) The process of claim 66, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 150 wppm of manganese and manganese-containing species, based on the total weight of the matrix material.
- 68. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 1,500 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 69. (Withdrawn) The process of claim 68, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 300 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 70. (Withdrawn) The process of claim 69, wherein the molecular sieve catalyst composition contains a matrix material, the matrix material containing less than 150 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 71. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a matrix material selected from the group consisting of: rare earth

metals, non-active metal oxides including zirconia, magnesia, thoria, beryllia, quartz, silica, or sols, silica-magnesia, silica-zirconia, silica-alumina, silica-alumina-thoria, synthetic clays, montmorillonite, kaolinite, halloysite, dickite, nacrite, anauxite, laponite, and synthetic mica montmorillonites.

- 72. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition contains a molecular sieve selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 73. (Withdrawn) The process of claim 72, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 74. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 10,000 wppm of iron and iron-containing species, based on the total weight of the molecular sieve catalyst composition.
- 75. (Withdrawn) The process of claim 74, wherein the molecular sieve catalyst composition comprises less than 7,000 wppm of iron and iron-containing species, based on the total weight of the molecular sieve catalyst composition.
- 76. (Withdrawn) The process of claim 75, wherein the molecular sieve catalyst composition comprises less than 4,000 wppm of iron and iron-containing species, based on the total weight of the molecular sieve catalyst composition.
- 77. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 15,000 wppm of titanium and titanium-containing species, based on the total weight of the molecular sieve catalyst composition.

- 78. (Withdrawn) The process of claim 77, wherein the molecular sieve catalyst composition comprises less than 10,000 wppm of titanium and titanium-containing species, based on the total weight of the molecular sieve catalyst composition.
- 79. (Withdrawn) The process of claim 78, wherein the molecular sieve catalyst composition comprises less than 5,000 wppm of titanium and titanium-containing species, based on the total weight of the molecular sieve catalyst composition.
- 80. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 1,500 wppm of nickel and nickel-containing species, based on the total weight of the molecular sieve catalyst composition.
- 81. (Withdrawn) The process of claim 80, wherein the molecular sieve catalyst composition comprises less than 300 wppm of nickel and nickel-containing species, based on the total weight of the molecular sieve catalyst composition.
- 82. (Withdrawn) The process of claim 81, wherein the molecular sieve catalyst composition comprises less than 150 wppm of nickel and nickel-containing species, based on the total weight of the molecular sieve catalyst composition.
- 83. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 1,500 wppm of cobalt and cobalt-containing species, based on the total weight of the molecular sieve catalyst composition.
- 84. (Withdrawn) The process of claim 83, wherein the molecular sieve catalyst composition comprises less than 100 wppm of cobalt and cobalt-containing species, based on the total weight of the molecular sieve catalyst composition.
- 85. (Withdrawn) The process of claim 84, wherein the molecular sieve catalyst composition comprises less than 5 wppm of cobalt and cobalt-containing species, based on the total weight of the molecular sieve catalyst composition.

- 86. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 1,500 wppm of manganese and manganese-containing species, based on the total weight of the molecular sieve catalyst composition.
- 87. (Withdrawn) The process of claim 86, wherein the molecular sieve catalyst composition comprises less than 300 wppm of manganese and manganese-containing species, based on the total weight of the molecular sieve catalyst composition.
- 88. (Withdrawn) The process of claim 87, wherein the molecular sieve catalyst composition comprises less than 150 wppm of manganese and manganese-containing species, based on the total weight of the molecular sieve catalyst composition.
- 89. (Withdrawn) The process of claim 49, wherein the molecular sieve catalyst composition comprises less than 1,500 wppm of vanadium and vanadium-containing species, based on the total weight of the molecular sieve catalyst composition.
- 90. (Withdrawn) The process of claim 89, wherein the molecular sieve catalyst composition comprises less than 300 wppm of vanadium and vanadium-containing species, based on the total weight of the molecular sieve catalyst composition.
- 91. (Withdrawn) The process of claim 90, wherein the molecular sieve catalyst composition comprises less than 150 wppm of vanadium and vanadium-containing species, based on the total weight of the molecular sieve catalyst composition.
- 92. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a <u>clay or clay-type</u> matrix material containing less than about 1,500 wppm manganese and manganese-containing species, based on the total weight of the matrix material; and
 - (c) optionally binder.

- 93. (Original) The composition of claim 92, wherein the matrix material contains less than about 300 wppm manganese and manganese-containing species, based on the total weight of the matrix material.
- 94. (Original) The composition of claim 93, wherein the matrix material contains less than about 150 wppm manganese and manganese-containing species, based on the total weight of the matrix material.
- 95. (Original) The composition of claim 92, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, montmorillonite, hectorite, saponite and laponite.
- 96. (Original) The composition of claim 92, wherein the catalyst composition has a d50 particle size from about 20 to about 200 microns.
- 97. (Original) The composition of claim 92, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 98. (Original) The composition of claim 97, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.
- 99. (Original) The composition of claim 92, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - (d) a slurrying medium.
- 100. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;

- a clay or clay-type matrix material containing less than about 1,500 wppm (b) vanadium and vanadium-containing species, based on the total weight of the matrix material; and
- optionally binder. (c)
- 101. (Original) The composition of claim 100, wherein the matrix material contains less than about 300 wppm vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 102. (Original) The composition of claim 101, wherein the matrix material contains less than about 150 wppm vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 103. (Original) The composition of claim 100, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, montmorillonite, hectorite, saponite and laponite.
- 104. (Original) The composition of claim 100, wherein the catalyst composition has a d50 particle size from about 20 to about 200 microns.
- 105. (Original) The composition of claim 100, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 106. (Original) The composition of claim 105, wherein the molecular sieve is selected from the group consisting of SAPO-34, AEI/CHA intergrowths, the metal containing forms thereof, and mixtures thereof.

- 107. (Original) The composition of claim 100, wherein the catalyst composition is a slurry, said catalyst composition further comprising:
 - (d) a slurrying medium.
- 108. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:
 - selecting a clay or clay-type matrix material containing less than 1,500 wppm of manganese and manganese-containing species, based on the total weight of the matrix material:
 - (b) forming a slurry containing the matrix material, a molecular sieve, a slurrying medium, and optionally a binder; and
 - (c) drying the slurry to produce the molecular sieve catalyst composition.
- 109. (Original) The process of claim 108, wherein the matrix material contains less than 300 wppm of manganese and manganese-containing species, based on the total weight of the matrix material.
- 110. (Original) The process of claim 109, wherein the matrix material contains less than 150 wppm of manganese and manganese-containing species, based on the total weight of the matrix material.
- 111. (Original) The process of claim 108, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 112. (Currently Amended) A process for forming a molecular sieve catalyst composition, the process comprising the steps of:

Appl. No. 10/657,057

Attorney Docket No.: 2003B093 Amdt, dated November 7, 2005 Reply to Office Action of Oct. 20, 2005

- selecting a clay or clay-type matrix material containing less than 1,500 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material;
- forming a slurry containing the matrix material, a molecular sieve, a slurrying (b) medium, and optionally a binder; and
- drying the slurry to produce the molecular sieve catalyst composition. (¢)
- 113. (Original) The process of claim 112, wherein the matrix material contains less than 300 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 114. (Original) The process of claim 113, wherein the matrix material contains less than 150 wppm of vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 115. (Original) The process of claim 112, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof, and mixtures thereof.
- 116. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a clay or clay-type matrix material; and
 - optionally binder, wherein the catalyst composition contains less than (c) about 10,000 wppm iron and iron-containing species, based on the total weight of the catalyst composition.
- 117. (Original) The composition of claim 116, wherein the catalyst composition contains less than about 7,000 wppm iron and iron-containing species, based on the total weight of the catalyst composition.

- 118. (Original) The composition of claim 117, wherein the catalyst composition contains less than about 4,000 wppm iron and iron-containing species, based on the total weight of the catalyst composition.
- 119. (Original) The composition of claim 116, wherein the matrix material contains less than about 10,000 wppm iron and iron-containing species, based on the total weight of the matrix material.
- 120. (Original) The composition of claim 119, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.
- 121. (Original) The composition of claim 116, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, \$APO-11, SAPO-16, SAPO-17, \$APO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.
- 122. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a clay or clay-type matrix material; and
 - (c) optionally binder, wherein the catalyst composition contains less than about 15,000 wppm titanium and titanium-containing species, based on the total weight of the catalyst composition.
- 123. (Original) The composition of claim 122, wherein the catalyst composition contains less than about 10,000 wppm titanium and titanium-containing species, based on the total weight of the catalyst composition.
- 124. (Original) The composition of claim 123, wherein the catalyst composition contains less than about 5,000 wppm titanium and titanium-containing species, based on the total weight of the catalyst composition.

- 125. (Original) The composition of claim 122, wherein the matrix material contains less than about 15,000 wppm titanium and titanium-containing species, based on the total weight of the matrix material.
- 126. (Original) The composition of claim 125, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.
- 127. (Original) The composition of claim 122, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.
- 128. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a clay or clay-type matrix material; and
 - (c) optionally binder, wherein the catalyst composition contains less than about 1,500 wppm nickel and nickel-containing species, based on the total weight of the catalyst composition.
- 129. (Original) The composition of claim 128, wherein the catalyst composition contains less than about 300 wppm nickel and nickel-containing species, based on the total weight of the catalyst composition.
- 130. (Original) The composition of claim 129, wherein the catalyst composition contains less than about 150 wppm nickel and nickel-containing species, based on the total weight of the catalyst composition.
- 131. (Original) The composition of claim 128, wherein the matrix material contains less than about 1,500 wppm nickel and nickel-containing species, based on the total weight of the matrix material.

- 132. (Original) The composition of claim 131, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.
- 133. (Original) The composition of claim 128, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.
- 134. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a clay or clay-type matrix material; and
 - (c) optionally binder, wherein the catalyst composition contains less than about 1,500 wppm cobalt and cobalt-containing species, based on the total weight of the catalyst composition.
- 135. (Original) The composition of claim 134, wherein the catalyst composition contains less than about 100 wppm cobalt and cobalt-containing species, based on the total weight of the catalyst composition.
- 136. (Original) The composition of claim 135, wherein the catalyst composition contains less than about 5 wppm cobalt and cobalt-containing species, based on the total weight of the catalyst composition.
- 137. (Original) The composition of claim 134, wherein the matrix material contains less than about 1,500 wppm cobalt and cobalt-containing species, based on the total weight of the matrix material.
- 138. (Original) The composition of claim 137, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.

- 139. (Original) The composition of claim 134, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.
- 140. (Currently Amended) A catalyst composition, comprising:
 - a molecular sieve; (a)
 - a clay or clay-type matrix material; and (b)
 - optionally binder, wherein the catalyst composition contains less than (c) about 1,500 wppm manganese and manganese-containing species, based on the total weight of the catalyst composition.
- 141. (Original) The composition of claim 140, wherein the catalyst composition contains less than about 300 wppm manganese and manganese-containing species, based on the total weight of the catalyst composition.
- 142. (Original) The composition of claim 141, wherein the catalyst composition contains less than about 150 wppm manganese and manganese-containing species, based on the total weight of the catalyst composition.
- 143. (Original) The composition of claim 140, wherein the matrix material contains less than about 1,500 wppm manganese and manganese-containing species, based on the total weight of the matrix material.
- 144. (Original) The composition of claim 143, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.
- 145. (Original) The composition of claim 140, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-

- 41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.
- 146. (Currently Amended) A catalyst composition, comprising:
 - (a) a molecular sieve;
 - (b) a clay or clay-type matrix material; and
 - (c) optionally binder, wherein the catalyst composition contains less than about 1,500 wppm vanadium and vanadium-containing species, based on the total weight of the catalyst composition.
- 147. (Original) The composition of claim 146, wherein the catalyst composition contains less than about 300 wppm vanadium and vanadium-containing species, based on the total weight of the catalyst composition.
- 148. (Original) The composition of claim 147, wherein the catalyst composition contains less than about 150 wppm vanadium and vanadium-containing species, based on the total weight of the catalyst composition.
- 149. (Original) The composition of claim 146, wherein the matrix material contains less than about 1,500 wppm vanadium and vanadium-containing species, based on the total weight of the matrix material.
- 150. (Original) The composition of claim 149, wherein the matrix material is selected from the group consisting of: kaolin, halloysite, kaolinite, dickite, nacrite, hectorite and laponite.
- 151. (Original) The composition of claim 146, wherein the molecular sieve is selected from the group consisting of SAPO-5, SAPO-8, SAPO-11, SAPO-16, SAPO-17, SAPO-18, SAPO-20, SAPO-31, SAPO-34, SAPO-35, SAPO-36, SAPO-37, SAPO-40, SAPO-41, SAPO-42, SAPO-44, SAPO-47, SAPO-56, AEI/CHA intergrowths, metal containing forms thereof, intergrown forms thereof and mixtures thereof.